


FRAME SIZE 1 TO 1600A – REAR-SIDE CONNECTION, HORIZONTAL



MO116232



SCHRACK INFO


Basic unit without release, factory assembled with selected components and delivered as complete device.

DESCRIPTION	WEIGHT (kg)	I _{CU}	TYPE	ORDER NO.
3-POLE 55 kA				
800 A	43	55 kA	MO1B-800	MO108232
1000 A	43	55 kA	MO1B-1000	MO110232
1250 A	43	50 kA	MO1B-1250	MO112232
1600 A	43	55 kA	MO1B-1600	MO116232
3-POLE 66 kA				
800 A	43	66 kA	MO1N-800	MO108332
1000 A	43	66 kA	MO1N-1000	MO110332
1250 A	43	66 kA	MO1N-1250	MO112332
1600 A	43	66 kA	MO1N-1600	MO116332
4-POLE 55 kA				
800 A	50	55 kA	MO1B-4-800	MO108242
1000 A	50	55 kA	MO1B-4-1000	MO110242
1250 A	50	55 kA	MO1B-4-1250	MO112242
1600 A	50	55 kA	MO1B-4-1600	MO116242
4 POLE 66 kA				
800 A	50	66 kA	MO1N-4-800	MO108342
1000 A	50	66 kA	MO1N-4-1000	MO110342
1250 A	50	66 kA	MO1N-4-1250	MO112342
1600 A	50	66 kA	MO1N-4-1600	MO116342

FRAME SIZE 1 TO 1600A – REAR-SIDE CONNECTION, VERTICAL



MO116232



SCHRACK INFO


Basic unit without release, factory assembled with selected components and delivered as complete device.

DESCRIPTION	WEIGHT (kg)	I _{CU}	TYPE	ORDER NO.
3-POLE 55 kA				
800 A	43	55 kA	MO1B-800	MO108231
1000 A	43	55 kA	MO1B-1000	MO110231
1250 A	43	50 kA	MO1B-1250	MO112231
1600 A	43	55 kA	MO1B-1600	MO116231
3-POLE 66 kA				
800 A	43	66 kA	MO1N-800	MO108331
1000 A	43	66 kA	MO1N-1000	MO110331
1250 A	43	66 kA	MO1N-1250	MO112331
1600 A	43	66 kA	MO1N-1600	MO116331
4-POLE 55 kA				
800 A	50	55 kA	MO1B-4-800	MO108241
1000 A	50	55 kA	MO1B-4-1000	MO110241
1250 A	50	55 kA	MO1B-4-1250	MO112241
1600 A	50	55 kA	MO1B-4-1600	MO116241
4-POLE 66 kA				
800 A	50	66 kA	MO1N-4-800	MO108341
1000 A	50	66 kA	MO1N-4-1000	MO110341
1250 A	50	66 kA	MO1N-4-1250	MO112341
1600 A	50	66 kA	MO1N-4-1600	MO116341

FRAME SIZE 1 TO 1600A – CONNECTION, FRONT, SINGLE BORE



MO116232



Connection, rear view

SCHRACK INFO


Basic unit without release, factory assembled with selected components and delivered as complete device.

DESCRIPTION	WEIGHT (kg)	I _{CU}	TYPE	ORDER NO.
3-POLE 55 kA				
800 A	43	55 kA	MO1B-800	MO108233
1000 A	43	55 kA	MO1B-1000	MO110233
1250 A	43	50 kA	MO1B-1250	MO112233
1600 A	43	55 kA	MO1B-1600	MO116233
3-POLE 66 kA				
800 A	43	66 kA	MO1N-800	MO108333
1000 A	43	66 kA	MO1N-1000	MO110333
1250 A	43	66 kA	MO1N-1250	MO112333
1600 A	43	66 kA	MO1N-1600	MO116333
4-POLE 55 kA				
800 A	50	55 kA	MO1B-4-800	MO108243
1000 A	50	55 kA	MO1B-4-1000	MO110243
1250 A	50	55 kA	MO1B-4-1250	MO112243
1600 A	50	55 kA	MO1B-4-1600	MO116243
4-POLE 66 kA				
800 A	50	66 kA	MO1N-4-800	MO108343
1000 A	50	66 kA	MO1N-4-1000	MO110343
1250 A	50	66 kA	MO1N-4-1250	MO112343
1600 A	50	66 kA	MO1N-4-1600	MO116343

FRAME SIZE 1 TO 1600A – CONNECTION, FRONT, DOUBLE BORE



MO116232



Connection, rear view

SCHRACK INFO


Basic unit without release, factory assembled with selected components and delivered as complete device.

DESCRIPTION	WEIGHT (kg)	I _{CU}	TYPE	ORDER NO.
3-POLE 55 kA				
800 A	43	55 kA	MO1B-800	MO108234
1000 A	43	55 kA	MO1B-1000	MO110234
1250 A	43	50 kA	MO1B-1250	MO112234
1600 A	43	55 kA	MO1B-1600	MO116234
3-POLE 66 kA				
800 A	43	66 kA	MO1N-800	MO108334
1000 A	43	66 kA	MO1N-1000	MO110334
1250 A	43	66 kA	MO1N-1250	MO112334
1600 A	43	66 kA	MO1N-1600	MO116334
4-POLE 55 kA				
800 A	50	55 kA	MO1B-4-800	MO108244
1000 A	50	55 kA	MO1B-4-1000	MO110244
1250 A	50	55 kA	MO1B-4-1250	MO112244
1600 A	50	55 kA	MO1B-4-1600	MO116244
4-POLE 66 kA				
800 A	50	66 kA	MO1N-4-800	MO108344
1000 A	50	66 kA	MO1N-4-1000	MO110344
1250 A	50	66 kA	MO1N-4-1250	MO112344
1600 A	50	66 kA	MO1N-4-1600	MO116344

FRAME SIZE 2 TO 3200A – REAR-SIDE CONNECTION, HORIZONTAL



MO225232



Connection, rear view

SCHRACK INFO


Basic unit without release, factory assembled with selected components and delivered as complete device.

DESCRIPTION	WEIGHT (kg)	I _{CU}	TYPE	ORDER NO.
3-POLE 66 kA				
2000 A	56	66 kA	MO2B-2000	MO220232
2500 A	59	66 kA	MO2B-2500	MO225232
3-POLE 80 kA				
800 A	56	80 kA	MO2N-800	MO208332
1000 A	56	80 kA	MO2N-1000	MO210332
1250 A	56	80 kA	MO2N-1250	MO212332
1600 A	56	80 kA	MO2N-1600	MO216332
2000 A	56	80 kA	MO2N-2000	MO220332
2500 A	59	80 kA	MO2N-2500	MO225332
3200 A	64	80 kA	MO2N-3200	MO232332
4-POLE 66 kA				
2000 A	67	66 kA	MO2B-4-2000	MO220242
2500 A	71	66 kA	MO2B-4-2500	MO225242
4-POLE 80 kA				
800 A	67	80 kA	MO2N-4-800	MO208342
1000 A	67	80 kA	MO2N-4-1000	MO210342
1250 A	67	80 kA	MO2N-4-1250	MO212342
1600 A	67	80 kA	MO2N-4-1600	MO216342
2000 A	67	80 kA	MO2N-4-2000	MO220342
2500 A	71	80 kA	MO2N-4-2500	MO225342
3200 A	77	80 kA	MO2N-4-3200	MO232342

FRAME SIZE 2 TO 3200A – REAR-SIDE CONNECTION, VERTICAL



MO225232



Connection, rear view

SCHRACK INFO


Basic unit without release, factory assembled with selected components and delivered as complete device.

DESCRIPTION	WEIGHT (kg)	I _{CU}	TYPE	ORDER NO.
3-POLE 66 kA				
2000 A	56	66 kA	MO2B-2000	MO220231
2500 A	59	66 kA	MO2B-2500	MO225231
3-POLE 80 kA				
800 A	56	80 kA	MO2N-800	MO208331
1000 A	56	80 kA	MO2N-1000	MO210331
1250 A	56	80 kA	MO2N-1250	MO212331
1600 A	56	80 kA	MO2N-1600	MO216331
2000 A	56	80 kA	MO2N-2000	MO220331
2500 A	59	80 kA	MO2N-2500	MO225331
3200 A	64	80 kA	MO2N-3200	MO232331
4-POLE 66 kA				
2000 A	67	66 kA	MO2B-4-2000	MO220241
2500 A	71	66 kA	MO2B-4-2500	MO225241
4-POLE 80 kA				
800 A	67	80 kA	MO2N-4-800	MO208341
1000 A	67	80 kA	MO2N-4-1000	MO210341
1250 A	67	80 kA	MO2N-4-1250	MO212341
1600 A	67	80 kA	MO2N-4-1600	MO216341
2000 A	67	80 kA	MO2N-4-2000	MO220341
2500 A	71	80 kA	MO2N-4-2500	MO225341
3200 A	77	80 kA	MO2N-4-3200	MO232341

FRAME SIZE 2 TO 3200A – CONNECTION, FRONT, SINGLE BORE



MO225232



Connection, rear view

SCHRACK INFO


Basic unit without release, factory assembled with selected components and delivered as complete device.

DESCRIPTION	WEIGHT (kg)	I _{CU}	TYPE	ORDER NO.
3-POLE 66 kA				
2000 A	56	66 kA	MO2B-2000	MO220233
2500 A	59	66 kA	MO2B-2500	MO225233
3-POLE 80 kA				
800 A	56	80 kA	MO2N-800	MO208333
1000 A	56	80 kA	MO2N-1000	MO210333
1250 A	56	80 kA	MO2N-1250	MO212333
1600 A	56	80 kA	MO2N-1600	MO216333
2000 A	56	80 kA	MO2N-2000	MO220333
2500 A	59	80 kA	MO2N-2500	MO225333
3200 A	64	80 kA	MO2N-3200	MO232333
4-POLE 66 kA				
2000 A	67	66 kA	MO2B-4-2000	MO220243
2500 A	71	66 kA	MO2B-4-2500	MO225243
4-POLE 80 kA				
800 A	67	80 kA	MO2N-4-800	MO208343
1000 A	67	80 kA	MO2N-4-1000	MO210343
1250 A	67	80 kA	MO2N-4-1250	MO212343
1600 A	67	80 kA	MO2N-4-1600	MO216343
2000 A	67	80 kA	MO2N-4-2000	MO220343
2500 A	71	80 kA	MO2N-4-2500	MO225343
3200 A	77	80 kA	MO2N-4-3200	MO232343

FRAME SIZE 2 TO 3200A – CONNECTION, FRONT, DOUBLE BORE



MO225232



Connection, rear view

SCHRACK INFO


Basic unit without release, factory assembled with selected components and delivered as complete device.

DESCRIPTION	WEIGHT (kg)	I _{CU}	TYPE	ORDER NO.
3-POLE 66 kA				
2000 A	56	66 kA	MO2B-2000	MO220234
2500 A	59	66 kA	MO2B-2500	MO225234
3-POLE 80 kA				
800 A	56	80 kA	MO2N-800	MO208334
1000 A	56	80 kA	MO2N-1000	MO210334
1250 A	56	80 kA	MO2N-1250	MO212334
1600 A	56	80 kA	MO2N-1600	MO216334
2000 A	56	80 kA	MO2N-2000	MO220334
2500 A	59	80 kA	MO2N-2500	MO225334
3200 A	64	80 kA	MO2N-3200	MO232334
4-POLE 66 kA				
2000 A	67	66 kA	MO2B-4-2000	MO220244
2500 A	71	66 kA	MO2B-4-2500	MO225244
4-POLE 80 kA				
800 A	67	80 kA	MO2N-4-800	MO208344
1000 A	67	80 kA	MO2N-4-1000	MO210344
1250 A	67	80 kA	MO2N-4-1250	MO212344
1600 A	67	80 kA	MO2N-4-1600	MO216344
2000 A	67	80 kA	MO2N-4-2000	MO220344
2500 A	71	80 kA	MO2N-4-2500	MO225344
3200 A	77	80 kA	MO2N-4-3200	MO232344

FRAME SIZE 3 TO 6300A – REAR-SIDE CONNECTION, HORIZONTAL



MO340432



Connection, rear view

SCHRACK INFO


Basic unit without release, factory assembled with selected components and delivered as complete device.

DESCRIPTION	WEIGHT (kg)	I _{CU}	TYPE	ORDER NO.
3-POLE 100 kA				
4000 A	82	100 kA	MO3H-4000	MO340432
5000 A	82	100 kA	MO3H-5000	MO350432
6300 A	90	100 kA	MO3H-6300	MO363432
4-POLE 100 kA				
4000 A	99	100 kA	MO3H-4-4000	MO340442
5000 A	99	100 kA	MO3H-4-5000	MO350442
6300 A	100	100 kA	MO3H-4-6300	MO363442

FRAME SIZE 3 TO 6300A – REAR-SIDE CONNECTION, VERTICAL



MO340431



Connection, rear view

SCHRACK INFO


Basic unit without release, factory assembled with selected components and delivered as complete device.

DESCRIPTION	WEIGHT (kg)	I _{CU}	TYPE	ORDER NO.
3-POLE 100 kA				
4000 A	82	100 kA	MO3H-4000	MO340431
5000 A	82	100 kA	MO3H-5000	MO350431
6300 A	90	100 kA	MO3H-6300	MO363431
4-POLE 100 kA				
4000 A	99	100 kA	MO3H-4-4000	MO340441
5000 A	99	100 kA	MO3H-4-5000	MO350441
6300 A	108	100 kA	MO3H-4-6300	MO363441

FRAME SIZE 3 TO 6300A – CONNECTION, FRONT, SINGLE BORE



MO340432



Connection, rear view

SCHRACK INFO


Basic unit without release, factory assembled with selected components and delivered as complete device.

DESCRIPTION	WEIGHT (kg)	I_{CU}	TYPE	ORDER NO.
3-POLE 100 kA				
4000 A	99	100 kA	MO3H-4000	MO340433
4-POLE 100 kA				
4000 A	99	100 kA	MO3H-4-4000	MO340443

FRAME SIZE 3 TO 6300A – CONNECTION, FRONT, DOUBLE BORE



MO340432



Connection, rear view

SCHRACK INFO

Basic unit without release, factory assembled with selected components and delivered as complete device.

DESCRIPTION	WEIGHT (kg)	I_{CU}	TYPE	ORDER NO.
3-POLE 100 kA				
4000 A	99	100 kA	MO3H-4000	MO340434
4-POLE 100 kA				
4000 A	99	100 kA	MO3H-4-4000	MO340444